



UNIVERSITAS MUHAMMADIYAH JAKARTA
FAKULTAS TEKNIK

KEPUTUSAN DEKAN

Nomor: 136 Tahun 2023

Tentang:

**PELAKSANAAN PENELITIAN DAN PENGABDIAN MASYARAKAT
DALAM UNSUR PENELITIAN DOSEN TETAP FAKULTAS TEKNIK
UNIVERSITAS MUHAMMADIYAH JAKARTA
SEMESTER GANJIL 2023/2024**

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

Dekan Fakultas Teknik Universitas Muhammadiyah Jakarta

- Menimbang : a. bahwa penelitian dan pengabdian masyarakat dosen tetap Fakultas Teknik Universitas Muhammadiyah Jakarta adalah merupakan salah satu unsur pelaksanaan catur dharma perguruan tinggi.
b. bahwa berdasarkan butir a tersebut di atas, pelaksanaan penelitian dan pengabdian masyarakat dosen tetap harus mengacu kepada Panduan Pengisian Beban Kinerja Dosen (BKD) LLDIKTI Wilayah III.
c. bahwa untuk itu perlu ditetapkan dengan Keputusan Dekan.
- Mengingat : 1. Undang-undang Republik Indonesia, Nomor: 20 tahun 2003 tentang Sistem Pendidikan Nasional;
2. Undang-undang Nomor: 12 Tahun 2012 tanggal 10 Agustus 2012 tentang Pendidikan Tinggi;
3. Peraturan Pemerintah Nomor: 04 Tahun 2014 tentang Penyelenggaraan Pendidikan Tinggi dan Pengelolaan Perguruan Tinggi;
4. Undang-undang Republik Indonesia Nomor: 14 Tahun 2005 tentang Guru dan Dosen.
5. Peraturan Menteri Pendidikan dan Kebudayaan Republik Indonesia Nomor: 3 Tahun 2020 tentang Standar Nasional Pendidikan Tinggi;
6. Pedoman Pimpinan Pusat Muhammadiyah Nomor: 02/PED/I.0/B/2012 tanggal 16 April 2012 tentang Perguruan Tinggi Muhammadiyah;
7. Statuta Universitas Muhammadiyah Jakarta Tahun 2022;
8. Keputusan Rektor Universitas Muhammadiyah Jakarta Nomor: 364 Tahun 2020 tanggal 9 Juli 2020 tentang Pengangkatan Dekan Fakultas Teknik Universitas Muhammadiyah Jakarta masa jabatan 2020-2024.
- Memperhatikan : Hasil rapat Dekanat tanggal 07 September 2023 tentang unsur penelitian dan pengabdian masyarakat dosen tetap semester Ganjil 2023/2024.

MEMUTUSKAN:

- Menetapkan : Keputusan Dekan tentang Pelaksanaan Penelitian dan Pengabdian Masyarakat Dalam Unsur Penelitian Dosen Tetap Fakultas Teknik Universitas Muhammadiyah Jakarta semester Ganjil 2023/2024.
- Pertama : Ketentuan Unsur Penelitian dan Pengabdian Masyarakat sebagaimana dimaksud dalam keputusan ini sesuai dengan Panduan Pengisian Beban Kinerja Dosen (BKD) LLDIKTI Wilayah III.
- Kedua : Salinan keputusan ini disampaikan kepada yang bersangkutan dan pihak-pihak terkait untuk diketahui, dipedomani, dan dapat dilaksanakan dengan sebaik-baiknya sebagai amanah.
- Ketiga : Keputusan ini berlaku sejak tanggal ditetapkan dan apabila di kemudian hari terdapat kekeliruan, akan diadakan perbaikan sebagaimana mestinya.

Ditetapkan di: Jakarta

Pada tanggal: 26 Shafar 1445

11 September 2023



In. Irian Purnawan, S.T., M.Chem.Eng.

NID: 26.173.

Construction Material Waste at the “Apartment X” Project in Bekasi, West Java, Indonesia

Nurlaelah¹, Muchamad Ilham², Trijeti³

^{1,2,3} Civil Engineering Department, Faculty of Engineering, UMJ, Jl. Cempaka Putih Tengah XXVII, Jakarta 10510

ABSTRACT: The implementation of a construction project activity is a lengthy process that is fraught with numerous issues and challenges. The presence of a lot of material waste is one of them. Waste material in the form of concrete rebar was also discovered at the “Apartment X” project in Bekasi, West Java. This research was carried out through interviews, questionnaire distribution, and observation. The findings of the research revealed that the largest percentage of concrete rebar waste in several columns work is D19 rebar waste with a percentage of 18.35%; then the largest percentage in partial wall of STP work is D16 rebar waste with a percentage of 1.29%. Carelessness and worker mistakes, followed by lack of workforce skills, are the factors that influence the occurrence of concrete rebar waste at the “Apartment X” project in Bekasi, West Java, the contractor should have a good quality control system and supervise the workers involved in concrete rebar properly in order to minimize errors that may result in the occurrence of excessive waste. The contractor should also ensure that all parties involved with concrete rebar, from the engineering side to the field implementer, have the capacity to carry out the work that will be assigned.

KEYWORDS: Rebar Waste, Factors, Causes of Waste

INTRODUCTION

A nation's infrastructure plays a significant role in promoting economic progress. Good infrastructure will entice investors to come and invest their money if it is available. As a result, the economic growth will be evenly distributed and have a favorable effect on the areas where the investment is made. Nowadays, numerous structures and other infrastructure are being constructed in nearly every location to support the activities of the general population. This could indicate that the development of construction projects in Indonesia is accelerating.

However, despite the industry's rapid progress, there are still several challenges and issues that arise when carrying out construction project work. The implementation of a construction project activity is a lengthy process that is fraught with numerous issues and challenges (Erviyanto, 2005). The fact that there is a lot of material waste produced by activities related to building work is one of the issues that is frequently experienced.

In reality, construction waste occurs throughout the construction industry (Alwi et al., 2002). Waste material can occur in building projects as a result of numerous issues. To reduce the probability of material waste, careful consideration must be given to the selection of materials, handling during transportation, storage, and handling of materials during work implementation.

In implementing construction projects, residual material or construction waste cannot be avoided (Hadut & Koesmargono, 2018). It also occurred in the construction of “Apartment X” in Bekasi, West Java. Initial observations revealed the presence of construction waste in the form of concrete rebar at the “Apartment X” project in Bekasi, West Java. It is feared that failure to take steps to reduce material waste will be harmful to the project parties and the preservation of the area around the project.

CONSTRUCTION WASTE

Waste can be defined as all kinds of loss of material, time and monetary results from an activity but does not add value or process to the product (Al-Moghany, 2006). In simple terms, to identify waste, it is "something that can be eliminated without reducing customer value", it can be an activity, resource, rule, etc. (Polat & Ballard, 2004).

Waste is considered as one of the primary issues in the construction industry. All activities that incur costs, either directly or indirectly, take time and resources but do not add value to a product, can be called non-value adding activities (Koskela, 1992). Construction waste does not only focus on the quantity of waste material in the field, but is also related to several things such as waiting time, material handling and worker movement (Formoso et al., 1999).

Construction waste, is waste in the form of leftover construction materials and other waste from activities during

construction, demolition and land clearing at the start of project implementation (Putra et al., 2018). Construction waste refers to solid waste that does not contain liquids and hazardous substances, mostly inert waste resulting from structural construction work, including all types of buildings as well as roads and bridges (Chen et al., 2002).

According to Skoyles (1976), based on the causes, construction waste can be classified into 2 categories. First, indirect waste, is leftover substance that manifests as dissipation (monetary loss) due to excess use of material volumes than planned and cannot be seen as waste on the field. Second, direct waste, is leftover material that arises in a project because it is damaged and cannot be repaired and reused during the construction process.

There are 2 primary categories of material waste in construction projects (Skoyles & Skoyles, 1987):

1. Waste from structural work

For example: cement, coral, sand, concrete rubble, reinforcement rebar, wooden formwork, etc.

2. Waste from finishing work

For example: broken or damaged materials in ceramics and leftover paint due to careless work.

RESEARCH METHOD

Research Plan

This research attempts to find out the percentage of concrete rebar waste at the “Apartment X” project in Bekasi, West Java, during the research period; find the factors that influence the occurrence of concrete rebar waste at the “Apartment X” project in Bekasi, West Java; and knowing how to minimize the factors that influence the occurrence of concrete rebar waste at the “Apartment X” project in Bekasi, West Java.

This research was carried out referring to the following research plan table:

Table 1. Research Plan

No	Attempts of Research	Research Methodology	Data Obtained	Data Analysis
1	Find out the percentage of concrete rebar waste at the “Apartment X” project in Bekasi, West Java during the research period	Limited interviews and field observations	The percentage of concrete rebar waste during the research period	Quantitative analysis based on field measurements
2	Find the factors that influence the occurrence of concrete rebar waste at the “Apartment X” project in Bekasi, West Java	Questionnaire survey	The factors that influence the occurrence of concrete rebar waste at the “Apartment X”	Statistical analysis with the SPSS software
3	Knowing how to minimize the factors that influence the occurrence of concrete rebar waste at the “Apartment X” project in Bekasi, West Java	Interview	Suggestions to minimize the factors that influence the occurrence of concrete rebar waste at the “Apartment X”	Qualitative analysis of expert advice

Research Variables

After reviewing the literature, we identified several factor variables that influence the occurrence of material waste

which commonly occurs in construction projects. The following variables will subsequently be added to the questionnaire used for this research:

Table 2. Variables that Influence the Occurrence of Material Waste

Cause of material waste	Research Variables	Source
X1. Factor of Manpower	X1.1 Lack of workforce skills	Journal of “Construction Waste Pada Proyek-Proyek Konstruksi Di Daerah Istimewa Yogyakarta” (Kaming et al., 2014)
	X1.2 Workers with no or less work experience	Journal of “Waste Konstruksi: Identifikasi Potensi dan Penyebabnya Pada Proyek Perumahan Di Pekanbaru” (Sapitri & Firdaus, 2019)
	X1.3 Doesn't adhere to the working procedures	
	X1.4 There are physical constraints (injured)	
	X1.5 Rude actions of workers so that the material is damaged	
	X1.6 Carelessness and worker mistakes	
	X1.7 Supplier delayed shipment	
	X1.8 Lack of foreman	
	X1.9 Inexperienced supervisor	

X2. Factor of Machine	X2.1 Equipment damaged X2.2 The repair of the equipment took quite a long time X2.3 The equipment used are unsuitable X2.4 Equipment is too conventional X2.5 Lack of equipment	Journal of “Waste <i>Konstruksi: Identifikasi Potensi dan Penyebabnya Pada Proyek Perumahan Di Pekanbaru</i> ” (Sapitri & Firdaus, 2019)
X3. Factor of Method	X3.1 There are no operational standards for the work X3.2 Inconsistent working methods X3.3 The chosen construction method is incorrect X3.4 Design changes X3.5 Poor planning and scheduling	Journal of “Waste <i>Konstruksi: Identifikasi Potensi dan Penyebabnya Pada Proyek Perumahan Di Pekanbaru</i> ” (Sapitri & Firdaus, 2019)
X4. Factor of Material	X4.1 Poor material quality X4.2 Material arrived late at the location X4.3 Poor material handling on site X4.4 Poor scheduling of material shipment to the location X4.5 Unsuitable material X4.6 Poor storage of material	Journal of “Construction Waste <i>Pada Proyek-Proyek Konstruksi Di Daerah Istimewa Yogyakarta</i> ” (Kaming et al., 2014)
X5. Factor of Environment	X5.1 Weather	Journal of “Construction Waste <i>Pada Proyek-Proyek Konstruksi Di Daerah Istimewa Yogyakarta</i> ” (Kaming et al., 2014)
	X5.2 Damage or loss by another party	Journal of “ <i>Faktor-Faktor Penyebab Construction Waste Pada Proyek Konstruksi Di Kota Palangka Raya</i> ” (Apni & Puspasari, 2019)
	X5.3 Poor condition of the location	Journal of “Waste <i>Konstruksi: Identifikasi Potensi dan Penyebabnya Pada Proyek Perumahan Di Pekanbaru</i> ” (Sapitri & Firdaus, 2019)
	X5.4 Complaints from the people	Journal of “Waste <i>Konstruksi: Identifikasi Potensi dan Penyebabnya Pada Proyek Perumahan Di Pekanbaru</i> ” (Sapitri & Firdaus, 2019)

FINDINGS AND DISCUSSION

Waste Identification

In identifying the amount of concrete rebar waste, the research was carried out with limited interviews with the project's contractors of the "Apartment X" in Bekasi, West Java and by conducting direct observations at the project site. The waste quantity is determined by direct weighing in the site for 1 week.

This was carried out to find out the percentage of concrete rebar waste at the “Apartment X” project in Bekasi, West Java during the research period. Work on several columns and

1. Data amount of concrete rebar used

a. Several columns work

Table 3. Data Quantity of Rebar Used in the Several Columns

Diameter of rebar	Quantity (kg)
D10	1273,49
D13	400,13
D19	2056,82
D22	931,01
D25	2774,16

b. Partial wall of STP work

Table 4. Data Quantity of Rebar Used in the Partial Wall of STP

Diameter of rebar	Quantity (kg)
D13	1775,57
D16	1969,34

2. Comparison of waste data from BBS calculations with the waste data from the field

a. Several columns work

partial wall of STP (sewage treatment plant) was underway when data was collected.

In any construction project, concrete rebar waste is difficult to avoid. To find out if the waste is something excessive or not, the waste data from the BBS (bar bending schedule) calculations and the waste data from the site are compared.

The data on the amount of concrete rebar used and the comparison of waste data from the BBS calculations with the waste data from the site are shown below. The percentages in Table 5 and Table 6 were obtained by the comparison with the data on the amount of concrete rebar used.

Table 5. Comparison of Waste from the Several Columns

Diameter of rebar	Waste quantity from the BBS (kg)	Percentage of waste	Percentage of BBS	Waste quantity from the site (kg)	Percentage of site waste
D10	6,50	0,51 %		6,65	0,52 %
D13	7,98	1,99 %		10,05	2,51 %
D19	335,95	16,33 %		377,45	18,35 %
D22	114,82	12,33 %		118,15	12,69 %
D25	231,18	8,33 %		241,00	8,69 %

b. Partial wall of STP work

Table 6. Comparison of Waste from the Partial Wall of STP

Diameter of rebar	Waste quantity from the BBS (kg)	Percentage of waste	Percentage of BBS	Waste quantity from the site (kg)	Percentage of site waste
D13	9,99	0,56 %		10,05	0,57 %
D16	24,62	1,25 %		25,50	1,29 %

First Phase Questionnaire

Questionnaires that are created based on certain theories are reviewed with at least 3 experts to obtain expert judgment responses on the questionnaire that has been created (Dr. Suparyanto, 2010). The variables in Table 2 were then submitted to practitioners and academics as experts for responses and validation of the factors that cause the occurrence of material waste above, in order to determine whether they can influence the occurrence of concrete rebar waste in the Apartment X project in Bekasi, West Java.

The first phase of questionnaire experts consisted of 5 people, coming from the contractor on the Apartment X project in Bekasi, West Java and also from academics. The listed variables have been determined to be valid based on the findings of the first phase questionnaire. Variable codes from Table 2 are converted to a new list, as shown below:

Table 7. List of Valid Variables Based on the First Phase Questionnaire's Findings

Code	Variabels
X01	Lack of workforce skills
X02	Workers with no or less work experience
X03	Doesn't adhere to the working procedures
X04	Carelessness and worker mistakes
X05	Inexperienced supervisor
X06	Equipment damaged
X07	The equipment used are unsuitable
X08	The chosen construction method is incorrect
X09	Design changes
X10	Poor material handling on site
X11	Poor storage of material

X12 Weather

From the total number of research variables of 29 (in Table 2), the variables declared valid results of validation by experts are 12 variables. The variables stated as valid are subsequently included in the second phase questionnaire, which will then be distributed to respondents of the research.

SECOND PHASE QUESTIONNAIRE

The variables determined by the first phase questionnaire were subsequently provided to the research's respondents. The second phase questionnaire attempts to find the factors that influence the occurrence of concrete rebar waste at the “Apartment X” project in Bekasi, West Java.

There were 30 respondents, all respondents came from the contractor of the “Apartment X” project in Bekasi, West Java. To determine the factors that influence the occurrence of concrete rebar waste at the “Apartment X” project in Bekasi, West Java, the second phase questionnaire needs to perform some tests. The SPSS software is used for the test.

The Factors that Influence the Occurrence of Concrete Rebar Waste at the “Apartment X” Project

The factors that influence the occurrence of concrete rebar waste at the “Apartment X” project in Bekasi, West Java, were derived from variables that are declared as “influential” by the results of the multiple linear regression test (t scores > t table) and that are “correlated” as findings of the correlation test (Sig. scores < 0,05). The “t table” in this research has a value of 2,086. The variables are then sequenced according to their Pearson Correlation scores.

Table 8. Results of Regression Tests and Correlation Tests

No	Code	Variabels	t scores	Description	Sig.	Description	Pearson Correlation
1	X01	Lack of workforce skills	2,317	Influential	0,000	Correlated	0,686
2	X02	Workers with no or less work experience	0,556	Uninfluential	0,064	Uncorrelated	0,343
3	X03	Doesn't adhere to the working procedures	1,385	Uninfluential	0,000	Correlated	0,637
4	X04	Carelessness and worker mistakes	3,008	Influential	0,000	Correlated	0,766
5	X06	Equipment damaged	- 0,716	Uninfluential	0,330	Uncorrelated	0,184
6	X07	The equipment used are unsuitable	0,414	Uninfluential	0,192	Uncorrelated	0,245
7	X08	The chosen construction method is incorrect	0,436	Uninfluential	0,002	Uncorrelated	0,537
8	X09	Design changes	0,745	Uninfluential	0,023	Correlated	0,413
9	X12	Weather	0,900	Uninfluential	0,276	Uncorrelated	0,206

Table 9. Variable Sequences by Pearson Correlation Scores

Sequence Number	Variables	Pearson Correlation
1	Carelessness and worker mistakes	0,766
2	Lack of workforce skills	0,686

Suggestions to Minimize the Factors that Influence the Occurrence of Concrete Rebar Waste at the “Apartment X” Project

Suggestions to minimize the factors that influence the occurrence of concrete rebar waste at the “Apartment X” project in Bekasi, West Java, obtained from the results of interviews with 3 experienced construction experts, are summarized as follows:

1. Carelessness and worker mistakes

The contractor should have a good quality control system and supervise the workers involved in concrete rebar properly in order to minimize errors that may result in the occurrence of excessive waste.

2. Lack of workforce skills

The contractor should ensure that all parties involved with concrete rebar, from the engineering side to the field implementer, have the capacity to carry out the work that will be assigned.

CONCLUSION

Based on the findings of the construction material waste research at the "Apartment X" project in Bekasi, West Java, Indonesia, the following conclusions can be drawn:

1. The percentage of concrete rebar waste during the research period was as follows:
 - a. In several columns work, the percentage data of concrete rebar waste on D10 rebar is 0,51%; D13 rebar is 1,99%; D19 rebar is 16,33%; D22 rebar is 12,33% and D25 rebar is 8,33%.
 - b. In the partial wall of STP work, the percentage of concrete rebar waste on D13 rebar is 0,57% and D16 rebar is 1,29%.

2. The factors that influence the occurrence of concrete rebar waste at the "Apartment X" project in Bekasi, West Java, are “carelessness and worker mistakes” and “lack of workforce skills”.

3. The suggestions to minimize the factors that influence the occurrence of concrete rebar waste at the “Apartment X” project in Bekasi, West Java, are as follows:

a. Carelessness and worker mistakes

The contractor should have a good quality control system and supervise the workers involved in concrete rebar properly in order to minimize errors that may result in the occurrence of excessive waste.

b. Lack of workforce skills

The contractor should ensure that all parties involved with concrete rebar, from the engineering side to the field implementer, have the capacity to carry out the work that will be assigned.

REFERENCES

1. Al-Moghany, S. S. (2006). *Managing and Minimizing Construction Waste in Gaza Strip*. The Islamic University of Gaza.
2. Alwi, S., Hampson, K. D., & Mohamed, S. A. (2002). Waste In Indonesian Construction Projects. *Proceedings of The 1st International Conference of CIB W107 - Creating a Sustainable Construction Industry in Developing Countries*, 305–315.
3. Apni, N., & Puspasari, V. H. (2019). FAKTOR-FAKTOR PENYEBAB CONSTRUCTION WASTE PADA PROYEK KONSTRUKSI DI KOTA PALANGKA RAYA. *Jurnal Teknik*, 3(1), 31–42.

4. Chen, Z., Li, H., & Wong, C. T. C. (2002). An Application of Bar-code System for Reducing Construction Wastes. *Automation in Construction*, 11(5), 521–533.
5. Dr. Suparyanto, M.Kes. (2010). *Uji Validitas Kuesioner Penelitian*. <http://dr-suparyanto.blogspot.com/2010/12/uji-validitas-kuesioner-penelitian.html>
6. Ervianto, W. I. (2005). *Manajemen Proyek Konstruksi (Edisi Revisi)*. Penerbit Andi.
7. Formoso, C. T., Isatto, E. L., & Hirota, E. H. (1999, July). Method for Waste Control in the Building Industry. *Proceedings of the Seventh Annual Conference of the International Group for Lean Construction IGLC-7*.
8. Hadut, A. M., & Koesmargono, K. (2018). Kajian Identifikasi Penyebab Construction Waste pada Kontraktor Di Daerah Yogyakarta dan Kupang. *Jurnal Teknik Sipil*, 25(3), 237. <https://doi.org/10.5614/jts.2018.25.3.9>
9. Kaming, P. F., Raharjo, F., & Wejoseno, H. (2014). CONSTRUCTION WASTE PADA PROYEK-PROYEK KONSTRUKSI DI DAERAH ISTIMEWA YOGYAKARTA,. *Prosiding Konferensi Nasional Teknik Sipil (KoNTekS) ke-8*, 146–154.
10. Koskela, L. (1992). *Application of the New Production Philosophy to Construction* (Technical Report 72). Stanford University.
11. Polat, G., & Ballard, G. (2004). Waste in Turkish Construction: Need for Lean Construction Techniques. *Proceedings of The 12th Annual Conference of the International Group for Lean Construction IGLC-12*.
12. Putra, I. G. P. A. S., Dharmayanti, G. A. P. C., & Dewi, A. A. D. P. (2018). PENANGANAN WASTE MATERIAL PADA PROYEK KONSTRUKSI GEDUNG BERTINGKAT. *Jurnal Spektran*, 6, 176–185.
13. Sapitri & Firdaus. (2019). Waste Konstruksi: Identifikasi Potensi dan Penyebabnya Pada Proyek Perumahan Di Pekanbaru. *JURNAL SAINTIS*, 19(02),79–88. [https://doi.org/10.25299/saintis.2019.vol19\(02\).3904](https://doi.org/10.25299/saintis.2019.vol19(02).3904)
14. Skoyles, E. R. (1976). Material Wastage: A Misuse of Resources. *Batiment International, Building Research and Practice*, 4(4).
15. Skoyles, E. R., & Skoyles, J. R. (1987). *Waste Prevention On Site*. Mitchell.

Home / Archives / Vol 8 No 10 (2023): VOLUME 08 ISSUE 10

Articles

Use of Boron Waste in Fly Ash Based Geopolymer Bricks
Shahad Nadhim Abbas AL AMARA, Arzu ÇAGLAR
2801-2809
<https://doi.org/10.47191/etj/v8i10.01>
[PDF](#) [Full Text](#)

Effects of Microgrid Reinforcement on Soil Strength
Ercan Egemen BASAR
2810-2825
<https://doi.org/10.47191/etj/v8i10.02>
[PDF](#) [Full Text](#)

Maintenance Brigade Strategic Planning and Organizational Change
W.A. Akpan, E.O. Usungurua, A.I. Ukt, A.E. Hanson
2826-2831
<https://doi.org/10.47191/etj/v8i10.03>
[PDF](#) [Full Text](#)

Counseling on Making Building Construction Drawings for Smkn 3 Batu City as an Effort to Improve Competitiveness Skill in the Global Era. (Using the Autocad Software Application)
Djoni Irianto, Muhammad Evanni
2832-2834
<https://doi.org/10.47191/etj/v8i10.04>
[PDF](#) [Full Text](#)

Towards Achieving Sustainable Development Goal-2030 Agenda-Thirteen: Selective Treatment of Sun-Facing Residential Window Fabrics in the Tropical Building Design
Sule Adeniyi Olaniyun, Oduola Olayinka Onigbogi, Yunus Sulaiman
2835-2843
<https://doi.org/10.47191/etj/v8i10.05>
[PDF](#) [Full Text](#)

Reactivation and Functional Shift of Suspended Wells for Injection to Increase Oil Recovery in Waterflooding Project Plans
Dyah Rini Rataningsih, Herianto ., Siti Uniyatun Choiriah
2844-2852
<https://doi.org/10.47191/etj/v8i10.06>
[PDF](#) [Full Text](#)

Adopting and Implementing Practical Reliability Tools in Nigeria Electric Power Industry
W. A. Akpan, V.E. Udoh, N.I. Effeng
2853-2861
<https://doi.org/10.47191/etj/v8i10.07>
[PDF](#) [Full Text](#)

Construction Material Waste at the "Apartment X" Project in Bekasi, West Java, Indonesia
Nurlaelah ., Muchamad Ilham, Trijeti .
2862-2867
<https://doi.org/10.47191/etj/v8i10.08>
[PDF](#) [Full Text](#)

Boosting the Microwave Absorption Properties Using Graphene Functionalized with Mg-Mn-Zn-Bi Ferrites
Hafiz Tauqeer Ali
2868-2875
<https://doi.org/10.47191/etj/v8i10.09>
[PDF](#) [Full Text](#)

Investigating Tensile Strength of Bamboo Petung (Dendrocalamus Asper) Treated Saltwater and Molasse Compared with Steel Rebar Reinforcement: An Experimental and Numerical Study
Bagas R. Subchan, Erno Widayanto, Ketut A. Wiswamitra
2876-2886
<https://doi.org/10.47191/etj/v8i10.10>
[PDF](#) [Full Text](#)

Determination the Stress and Deformation of the Cannon Barrel When Fired
The Luc NGUYEN, Minh Phu NGUYEN, Thanh Tuan LAI
2887-2897
<https://doi.org/10.47191/etj/v8i10.11>
[PDF](#) [Full Text](#)

MAKE A SUBMISSION

Author Desk

- » Call for Paper
- » Author Guideline
- » Publication Fee
- » Peer Review Policy
- » Article Correction Policy
- » Article Withdrawal Policies
- » Mode of payment
- » Publishing Ethics
- » Indexing

Information

- » For Readers
- » For Authors
- » For Librarians



Effects of the Acquisition and Conversion of Agricultural Land Use Purposes on the Livelihoods of Household at the Extended BAC Son Road Project, Thai Nguyen city, Thai Nguyen province

Thi Bich Lien Nguyen, Thi Ngoc Ha Tran, Thanh Huy Chu, Thuy Linh Vi, Thu Huong Nguyen
2898-2903

<https://doi.org/10.47191/etj/v8i10.12>

[PDF](#) [Full Text](#)

Facile Synthesis of Fluorescent Carbon Nanodots from Soursop Peel as a Carbon Source for Ferric Metal Ion Sensor

Zakarias Seba Ngara, Avelina Elin, Frederika Rambu Ngana, Miasyharil Bukit, Reinner Ishaq Lerrick
2904-2910

<https://doi.org/10.47191/etj/v8i10.13>

[PDF](#) [Full Text](#)

EEDI Analysis for Trimaran Feeder at Maluku Waters

Richard Benny Luhlilima
2911-2916

<https://doi.org/10.47191/etj/v8i10.14>

[PDF](#) [Full Text](#)

A Review of Visible Light Communications in Automotive Applications

Cornelius A. D. Pahalsan, Atang Bulus Azi
2917-2925

<https://doi.org/10.47191/etj/v8i10.15>

[PDF](#) [Full Text](#)

Green Communications

Cornelius A. D. Pahalsan, Atang Bulus Azi
2926-2939

<https://doi.org/10.47191/etj/v8i10.16>

[PDF](#) [Full Text](#)

[GO TO TOP](#)

Proposed Implementation Of Lean Manufacturing To Reduce Waste In Plywood Production

Akhmad Syakhroni, Septian Aryo Kuncoro, Rieska Ernawati
2940-2948

<https://doi.org/10.47191/etj/v8i10.17>

[PDF](#) [Full Text](#)

Social Links



About Us

EVERANT is an online, open access, peer reviewed, monthly journal . We believe in

Quick Link

- > [Home](#)
- > [Publication Ethics](#)

Author Information

- > [Call for Paper](#)
- > [Author Guideline](#)

[GO TO TOP](#)

Article link :- <https://everant.org/index.php/etj/article/view/1059>

The screenshot shows a web browser window displaying the article page for 'Engineering and Technology Journal'. The browser's address bar shows the URL 'everant.org/index.php/etj/article/view/1059'. The page header includes the journal's logo, ISSN (2456-3358), and navigation links: HOME, EDITORIAL MEMBER, SUBMISSIONS, ARCHIVES, CURRENT, and CONTACT. The breadcrumb trail is 'Home / Archives / Vol 8 No 10 (2023): VOLUME 08 ISSUE 10 / Articles'. The article title is 'CONSTRUCTION MATERIAL WASTE AT THE "APARTMENT X" PROJECT IN BEKASI, WEST JAVA, INDONESIA', with authors Nurlaelah, Muchamad Ilham, and Trijetti. The article is from Volume 08, Issue 10, published on October 16, 2023, with page numbers 2862-2867. The DOI is 10.47191/etj/v8i10.08. A 'PDF' button is visible. Below the title, there are tabs for 'Keywords', 'Article Content', 'References', 'Downloads', and 'Citation Tools'. The 'Keywords' section lists 'Rebar Waste, Factors, Causes of Waste'. A section titled 'Most read articles by the same author(s)' lists another article by the same authors. On the right, an 'Article Details' sidebar shows the issue, page number, publication date, section, and DOI.

Engineering and Technology Journal
Peer Review Journal
ISSN: 2456-3358

HOME EDITORIAL MEMBER SUBMISSIONS ARCHIVES CURRENT CONTACT

Home / Archives / Vol 8 No 10 (2023): VOLUME 08 ISSUE 10 / Articles

Articles PDF

TITLE : CONSTRUCTION MATERIAL WASTE AT THE "APARTMENT X" PROJECT IN BEKASI, WEST JAVA, INDONESIA

Nurlaelah ., Muchamad Ilham and Trijetti .

Vol 8 No 10 (2023): VOLUME 08 ISSUE 10
Article Date Published : 16 October 2023 | Page No.: 2862-2867 | Google Scholar
DOI <https://doi.org/10.47191/etj/v8i10.08>

Keywords Article Content References Downloads Citation Tools

Keywords:-
Rebar Waste, Factors, Causes of Waste

Most read articles by the same author(s)
Nurlaelah ., Trijetti ., Tanjung Rahayu, NVA Waste Factors on Project Performance at The PT "XYZ" Warehouse Building, West Java, Indonesia , Engineering And Technology Journal: Vol 8 No 9 (2023): VOLUME 08 ISSUE 09

Article Details
Issue: Vol 8 No 10 (2023): VOLUME 08 ISSUE 10
Page No.: 2862-2867
Published: Oct 16, 2023
Section: Articles
DOI: 10.47191/etj/v8i10.08

Article DOI :- <https://doi.org/10.47191/etj/v8i10.08>

The screenshot displays the website for the Engineering and Technology Journal (ETJ). The browser's address bar shows the URL: everant.org/index.php/etj/article/view/1059. The journal's logo and name are at the top left, with the ISSN: 2456-3358. The navigation menu includes HOME, EDITORIAL MEMBER, SUBMISSIONS, ARCHIVES, CURRENT, and CONTACT. The article title is "CONSTRUCTION MATERIAL WASTE AT THE 'APARTMENT X' PROJECT IN BEKASI, WEST JAVA, INDONESIA" by Nurlaelah, Muchamad Ilham, and Trijeti. The article is published in Vol 8 No 10 (2023), VOLUME 08 ISSUE 10, on October 16, 2023. The page number is 2862-2867. The DOI is [10.47191/etj/v8i10.08](https://doi.org/10.47191/etj/v8i10.08). The article details sidebar shows the issue, page number, publication date, section (Articles), and DOI.

Home / Archives / Vol 8 No 10 (2023): VOLUME 08 ISSUE 10 / Articles

Articles PDF

TITLE : CONSTRUCTION MATERIAL WASTE AT THE "APARTMENT X" PROJECT IN BEKASI, WEST JAVA, INDONESIA

✎ Nurlaelah ., ✎ Muchamad Ilham and ✎ Trijeti .

Vol 8 No 10 (2023): VOLUME 08 ISSUE 10

Article Date Published : 16 October 2023 | Page No.: 2862-2867 | [Google Scholar](#)

DOI <https://doi.org/10.47191/etj/v8i10.08>

Keywords

Article Content

References

Downloads

Citation Tools

Keywords:-

Rebar Waste, Factors, Causes of Waste

Most read articles by the same author(s)

Nurlaelah ., Trijeti ., Tanjung Rahayu, NVA Waste Factors on Project Performance at The PT "XYZ" Warehouse Building, West Java, Indonesia , *Engineering And Technology Journal: Vol 8 No 9 (2023): VOLUME 08 ISSUE 09*

Article Details

Issue: [Vol 8 No 10 \(2023\): VOLUME 08 ISSUE 10](#)

Page No.: 2862-2867


Published: Oct 16, 2023

Section: Articles

DOI: [10.47191/etj/v8i10.08](https://doi.org/10.47191/etj/v8i10.08)

Google Scholar links :-

https://scholar.google.com/citations?view_op=view_citation&hl=en&user=HKbP4ocAAAAJ&cstart=20&pagesize=80&citation_for_view=HKbP4ocAAAAJ:nRpfm8aw39MC



The screenshot shows a web browser window with multiple tabs. The active tab is titled 'View article' and displays the Google Scholar page for the article 'CONSTRUCTION MATERIAL WASTE AT THE "APARTMENT X" PROJECT IN BEKASI, WEST JAVA, INDONESIA'. The page includes the journal logo, authors' names, publication date, journal name, volume, issue, pages, and publisher information. At the bottom right, there are links for 'Privacy', 'Terms', and 'Help'.

Engineering and Technology Journal

CONSTRUCTION MATERIAL WASTE AT THE "APARTMENT X" PROJECT IN BEKASI, WEST JAVA, INDONESIA

Authors Nurlaelah , Muchamad Ilham , Trijati

Publication date 2023/10

Journal Engineering and Technology Journal

Volume 8

Issue 10

Pages 2862-2867

Publisher Engineering and Technology Journal

Privacy Terms Help

Index Copernicus Link :-


<https://journals.indexcopernicus.com/search/article?articleId=3735837>

INDEX COPERNICUS INTERNATIONAL

ICI World of Journals ICI Journals Master List ICI World of Papers Contact

Login/ Register

ICI World of Journals / Engineering And Technology Journal / 2023; 8 (10) / CONSTRUCTION MATERIAL WASTE AT THE "APARTMENT X" PROJEC... Back



Journal title: Engineering And Technology Journal
ISSN: 2456-3358 (online)
Country / Language: IN / EN
Publisher: Everant Journals

MEIN: N/D ICV 2022: N/I
ICV 2021: N/I

Deposited publications: 318 | Full text: 93% | Abstract: 100% | Keywords: 100% | References: 100%

CONSTRUCTION MATERIAL WASTE AT THE "APARTMENT X" PROJECT IN BEKASI, WEST JAVA, INDONESIA

Nurlaelah¹, Muchamad Iham¹, Trijeti¹

1. Civil Engineering Department, Faculty of Engineering, UMI, Jl. Cempaka Putih Tengah XXVII, Jakarta 10510

F Engineering and technology journal ETJ 2023; 8 (10) : 2862-2867; 10.47191/etj/v8i10.08; Language: EN

Abstract

The implementation of a construction project activity is a lengthy process that is fraught with numerous issues and challenges. The presence of a lot of material waste is one of them. Waste material in the form of concrete rebar was also discovered at the "Apartment X" project in Bekasi, West Java. This research was carried out through interviews, questionnaire distribution, and observation. The findings of the research revealed that the largest percentage of concrete rebar waste in several columns work is D19 rebar waste with a percentage of 18.35%; then the largest percentage in partial wall of STP work is D16 rebar waste with a percentage of 1.29%. Carelessness and worker mistakes, followed by lack of workforce skills, are the factors that influence the occurrence of concrete rebar waste at the "Apartment X" project in Bekasi, West Java, the contractor should have a good quality control system and supervise the workers involved in concrete rebar properly in order to minimize errors that may result in the occurrence of excessive waste. The contractor should also ensure that all parties involved with concrete rebar, from the engineering side to the field implementer, have the capacity to carry out the work that will be assigned.

Keywords

Rebar Waste, Factors, Causes of Waste

Links

Fulltext EN
<https://doi.org/10.47191/etj/v8i10.08> EN

Reference

- Al-Moghany, S. S. (2006). Managing and Minimizing Construction Waste in Gaza Strip. The Islamic University of Gaza.
- Alwi, S., Hampson, K. D., & Mohamed, S. A. (2002). Waste In Indonesian Construction Projects. Proceedings of The 1st International Conference of CIB W107 - Creating a Sustainable Construction Industry in Developing Countries, 305-315.
- Apni, N., & Puspasari, V. H. (2019). FAKTOR-FAKTOR PENYEBAB CONSTRUCTION WASTE PADA PROYEK KONSTRUKSI DI KOTA PALANGKA RAYA. Jurnal Teknika, 3(1), 31-42.
- Chen, Z., Li, H., & Wong, C. T. C. (2002). An Application of Bar-code System for Reducing Construction Wastes. Automation in Construction, 11(5), 521-533.
- Dr. Suparyanto, M.Kes. (2010). Uji Validitas Kuesioner Penelitian.
- Ervianto, W. I. (2005). Manajemen Proyek Konstruksi (Edisi Revisi). Penerbit Andi.
- Formoso, C. T., Isatto, E. L., & Hirota, E. H. (1999, July). Method for Waste Control in the Building Industry. Proceedings of the Seventh Annual Conference of the International Group for Lean Construction IGLC-7.
- Hadut, A. M., & Koesmargono, K. (2018). Kajian Identifikasi Penyebab Construction Waste pada Kontraktor Di Daerah Yogyakarta dan Kupang. Jurnal Teknik Sipil, 25(3), 237. <https://doi.org/10.5614/jts.2018.25.3.9>
- Kaming, P. F., Raharjo, F., & Wejoseno, H. (2014). CONSTRUCTION WASTE PADA PROYEK-PROYEK KONSTRUKSI DI DAERAH ISTIMEWA YOGYAKARTA.. Prosiding Konferensi Nasional Teknik Sipil (KoNTeks) ke-8, 146-154.
- Koskela, L. (1992). Application of the New Production Philosophy to Construction (Technical Report 72). Stanford University.
- Polat, G., & Ballard, G. (2004). Waste in Turkish Construction: Need for Lean Construction Techniques. Proceedings of The 12th Annual Conference of the International Group for Lean Construction IGLC-12.
- Putra, I. G. P. A. S., Dharmayanti, G. A. P. C., & Dewi, A. A. D. P. (2018). PENANGANAN WASTE MATERIAL PADA PROYEK KONSTRUKSI GEDUNG BERTINGKAT. Jurnal Spektran, 6, 176-185.
- Sapitri & Firdaus. (2019). Waste Konstruksi: Identifikasi Potensi dan Penyebabnya Pada Proyek Perumahan Di Pekanbaru. JURNAL SAINTIS, 19(02), 79-88. [https://doi.org/10.25299/saintis.2019.vol19\(02\).3904](https://doi.org/10.25299/saintis.2019.vol19(02).3904)
- Skoyles, E. R. (1976). Material Wastage: A Misuse of Resources. Batiment International, Building Research and Practice, 4(4).
- Skoyles, E. R., & Skoyles, J. R. (1987). Waste Prevention On Site. Mitchell.

Articles quoting

As part of our website we use cookies to provide you with services at the highest level , including in a manner tailored to individual needs . Using the site without changing the settings for cookies results in saving them in your device . You can change cookies' settings any time you want in your web browser. More details in our Cookies Policy Got it!

Engineering and Technology Journal

Website: <http://everant.org/index.php/etj>

ISSN (print): 2456-3358
DOI: 10.47191/etj

Impact Factor : 7.136
ASI Score : 1.3 , IPI Value: 2.68

Letter of Acceptance

Dear Author : Nurlaelah, Muchamad Ilham, Trijeti

Manuscript ID: ETJV08I10-01

Paper Title : “CONSTRUCTION MATERIAL WASTE AT THE “APARTMENT X” PROJECT IN BEKASI, WEST JAVA, INDONESIA”

We are pleased to accept the same for publication in ETJ. Please send the scanned Copyright form (Can be downloaded from website) along with bank receipt of an online maintenance. Article will be online within 24 working hours after receiving all the necessary documents.

Payment details: 30 USD (For entire research paper for All Author).

You can pay by Credit Card or Debit card or net banking by using link

Payment Link : <http://everant.org/index.php/etj/mod>

In case of any query please do not hesitate to contact us. Early reply is appreciated. Sincerely,
E-mail ID: journaletj@gmail.com



With Regards,

Journal Manager

Engineering and Technology Journal

Website: <http://everant.org/index.php/etj>



EVERANT JOURNALS

Copyright Status form

www.everant.org

Journal Title: ENGINEERING AND TECHNOLOGY JOURNAL

Manuscript Number: (ETJV08110-01)

Manuscript Title: "CONSTRUCTION MATERIAL WASTE AT THE "APARTMENT X" PROJECT IN BEKASI, WEST JAVA, INDONESIA"

I/we certify that I/we have participated sufficiently in the intellectual content, conception and design of this work or the analysis and interpretation of the data (when applicable), as well as the writing of the manuscript, to take public responsibility for it and have agreed to have my/our name listed as a contributor. I/we believe the manuscript represents valid work. Neither this manuscript nor one with substantially similar content under my/our authorship has been published or is being considered for publication elsewhere, except as described in the covering letter. I/we certify that all the data collected during the study is presented in this manuscript and no data from the study has been or will be published separately. I/we attest that, if requested by the editors, I/we will provide the data/information or will cooperate fully in obtaining and providing the data/information on which the manuscript is based, for examination by the editors or their assignees. Financial interests, direct or indirect, that exist or may be perceived to exist for individual contributors in connection with the content of this paper have been disclosed in the cover letter. Sources of outside support of the project are named in the cover letter.

I/We hereby transfer(s), assign(s), or otherwise convey(s) all copyright ownership, including any and all rights incidental thereto, exclusively to the Journal, in the event that such work is published by the Journal. The Journal shall own the work, including 1) copyright; 2) the right to grant permission to republish the article in whole or in part, with or without fee; 3) the right to produce preprints or reprints and translate into languages other than English for sale or free distribution; and 4) the right to republish the work in a collection of articles in any other mechanical or electronic format.

We give the rights to the corresponding author to make necessary changes as per the request of the journal, do the rest of the correspondence on our behalf and he/she will act as the guarantor for the manuscript on our behalf.

All persons who have made substantial contributions to the work reported in the manuscript, but who are not contributors, are named in the Acknowledgment and have given me/us their written permission to be named. If I/we do not include an Acknowledgment that means I/we have not received substantial contributions from non-contributors and no contributor has been omitted.

Corresponding Author: nurlaelah@umj.ac.id

Signature: 

Address: Jl. Kemang Utara I A No. 18 A, Kelurahan Bangka, Mampang Prapatan,

Date: October 15, 2023

South Jakarta, Indonesia

Country: Indonesia Zip /Pin Code: +62

Author's Name:

E-mail:

1 Nurlaelah

1 nurlaelah@umj.ac.id

2

2 muhammadilh81@gmail.com

3 Trijeti

3 t3jeti@gmail.com

4.....

4.....

5.....

5.....

The corresponding author must included a Conflict of Interest Statement on behalf of all the authors at the end of their article. If no Conflict of Interest is declared this must be stated also.