unaya,_Mamun_Murod,_Fini,_N oor_Latifah,_Triana,_Dadang,_D ina.pdf

by Ernyasih Ernyasih

Submission date: 17-Jun-2021 10:31AM (UTC+0700)

Submission ID: 1607816266

File name: unaya,_Mamun_Murod,_Fini,_Noor_Latifah,_Triana,_Dadang,_Dina.pdf (41.02K)

Word count: 2091

Character count: 11503

ANALYSIS OF EDUCATION AND KNOWLEDGE WITH COVID-19 PREVENTION BEHAVIOR IN MAUK TIMUR VILLAGE, TANGERANG, BANTEN

Ernyasih¹, Puspita Ari Sandra², Munaya Fauziah³, Mamun Murod⁴, Fini Fajrini⁵, Noor Latifah⁶, Triana Srisantyorini⁷, Dadang Herdiansyah⁸, Dina Rahmafadlilah⁹

¹Faculty of Public Health, University of Muhammadiyah Jakarta, South Jakarta, Indonesia. E-mail: ummi.rifali@gmail.com

²Faculty of Public Health, University of Muhammadiyah Jakarta, South Jakarta, Indonesia.

ABSTRACT

This virus first appeared in the province of Wuhan, China at the end of 2019.15 April 2020, there were 1,544,863 confirmed cases with 117,021 deaths (6.3%). This virus has spread to 213 infected countries and 181 countries with local transmission. In Indonesia, this virus has spread in 34 provinces and Banten into the top 5 provinces with 162 positive cases, 36 deaths, and 31 recoveries. Quantitative research methods with a cross-sectional research design and a sample of 302 respondents. The analysis used chi-square. The aim of the research is the relationship between education and knowledge and COVID-19 prevention behavior in MaukTimur Village, Tangerang, Banten in 2020. The results showed that 266 respondents behaved well (78.1%). The results of the chi-square test showed a relationship between education (p-value = 0.008, OR = 2.619), knowledge (p-value = 0.043, OR = 0.379) with COVID-19 prevention behavior. Continue to improve behaviors to prevent transmission of COVID-19 and not forget health protocols being followed.

Keywords: Education, Knowledge, Prevention of COVID-19.

I. BACKGROUND

Coronavirus Disease 2019 (COVID-19) is an infectious disease caused by a new type of Coronavirus. This disease began with the emerge e of a pneumonia case of unknown etiology in Wuhan, China at the end of December 2019. On January 7, 2020, the Chinese Government then announced that the cause of the case was a new type of Coronavirus which was later named SARS-CoV-2 (Severe Acute Respiratory Syndrome Coronavirus 2). This virus comes from the same family as the viruses that cause SARS and MERS. Even though they come from the same family, SARS-CoV-2 is more contagious than SARS-CoV and MERS-CoV (China CDC, 2020). The crude mortality rate varies by country and depends on the population affected the progression of the outbreak in a country, and the availability of laboratory tests.1

COVID-19 is transmitted through the eyes, nose, mouth (direct splash contact when people cough / talk) by contracting COVID-19. Everyone can get Covid-19, but some groups are at high risk, namely the elderly, pregnant/nursing women, toddlers, and people who have a history of chronic disease.2COVID-19 is declared a world pandemic by WHO and designated by the Government as a non-natural disaster in the form of a disease outbreak that requires integrated countermeasures including the involvement of all components of society. The COVID-19 virus has spread to 213 infected countries and 181 countries with local transmission, 5 countries with the highest COVID-19 cases in the world to date based on data compiled by the Johns Hopkins University Research Center: United States (555,313 cases, 32,988 recovered, and 22,020 died), Spain: (153,222 cases,

³Faculty of Public Health, University of Muhammadiyah Jakarta, South Jakarta, Indonesia.

⁴Faculty of Social and Political Sciences, University of Muhammadiyah Jakarta, South Jakarta, Indonesia.

⁵Faculty of Public Health, University of Muhammadiyah Jakarta, South Jakarta, Indonesia.

⁶Faculty of Public Health, University of Muhammadiyah Jakarta, South Jakarta, Indonesia.

⁷Faculty of Public Health, University of Muhammadiyah Jakarta, South Jakarta, Indonesia.

⁸Faculty of Public Health, University of Muhammadiyah Jakarta, South Jakarta, Indonesia.

⁹Faculty of Educational Science, SyarifHidayatullah, Islamic State University, South Jakarta, Indonesia.

62,391 recovered, and 17,209 died), Italy: (156,363 cases, 34,221 recovered, and 19,899 died), France: (133,670 cases, 27,469 recovered, and 14.4 died, Germany: (127,854 cases, 60,300 recovered, and 3,022 died) Indonesia reported its first case of COVID-19 on March 2, 2020, and the number continues to grow until now. As of 30 June 2020, the Ministry of Health reported 56,385 confirmed assess of COVID-19 with 2,875 cases died (CFR 5.1%) in 34 provinces. 51.5% of cases occurred in men. Most cases occurred in the age range of 45-54 years and the least occurred in the age range 0-5 t year. The highest mortality rate was found in patients aged 55-64 years.1

Banten Province is among the top 5 provinces with the highest incidence of COVID-19 cases. 162 cases were confirmed positive and 36 were declared dead and 31 were declared cured. Tangerang Regency occupies the top 3 regions with the number of COVID-19 cases in Banten province with 54 cases recorded, 8 cases declared cured and 4 declared dead. As of April 17, 2020, Mauk District currently has 1 case of a person under monitoring and 3 people under surveillance.4The transmission of COVID-19 cases can be prevented by paying attention to risk factors that can cause transmission, Implementing a clean and healthy lifestyle can be done to prevent the transmission of COVID-19. Some preventive behaviors that can be done are frequent handwashing with soap, wearing a mask, consuming balanced nutrition, exercising diligently and getting enough rest, and careful contact with animals.5

Research conducted by Sulaeman and Supardi in 2020 on Increasing the Knowledge of Jelantik Village Communities in Facing the Corona Virus Diseases-19 (Covid-19) Pandemic stated that in addition to equipping the public with knowledge about Covid-19, it is also necessary to provide knowledge about important keys to avoid the transmission/transmission of the corona-19 virus, namely knowledge of health and hygiene and healthy living habits (PHBS). Providing material on the environment and health as well as a clean and healthy lifestyle will help people avoid Covid-19 and other infectious diseases. Health education will also increase public awareness and knowledge of the importance of protecting the environment and oneself to stay healthy.6 Also, research conducted by Syadidirahmah 2020 on the Physical Distancing Behavior of UIN SyarifHidayatullah Jakarta Students during the COVID-19 Pandemic stated that 55.9% of students have implemented good physical distancing behavior. The results showed that the factors related to physical distancing behavior were gender, knowledge related to physical distancing, and family support.7Most of the residents of the Mauk area are factory workers located outside the MaukTimur Village, TangerangBanten, and still interact with other people.

II. METHODS

The method used in this research is quantitative with an analytic survey research design with a cross-sectional approach. The research objective was to determine the relationship between education and knowledge with COVID-19 prevention behavior in MaukTimur District, TangerangBanten in 2020. The sample in this study were people who live in the RW 01 area of MaukTimur Village, TangerangBanten with a total sample of 302 respondents.

III. RESULT AND DISCUSSION

The results of the univariate education, knowledge, and behavior of COVID-19 prevention:

Table 1. Characteristics of Respondents based on Education, Knowledge, Behavior to Prevent COVID 19

Variable	n	%					
Preventive Behavior							
Good	236	78.1%					
Not Good	66	21.9%					
Education							
High	266	88.1%					
Low	36	11.9%					
Knowledge							
Good	255	84.4%					
Not Good	47	15.6%					

From the table, it is known that 78.1% of the people have good behavior, 8.1% have higher education and 84% have good knowledge.

Table 2. Frequency Distribution of Transmission Prevention Behavior

Turkish Journal of Physiotherapy and Rehabilitation; **32(3)** ISSN 2651-4451 | e-ISSN 2651-446X

	Preventive Behavior COVID-19			Total		OR	P	
Education	Good		Not	Not Good		L	(95% CI)	(value)
	n	%	n	%	N	%	(9376 CI)	(vaiue)
High	214	80.5%	52	19.5%	266	100%	2.619	0.008
Low	52	61.1%	14	38.9%	36	100%	(1.255;5.464)	
Knowledge								
Good	194	76.1%	61	23.9%	255	100%	0.379	0.043
Not Good	42	89.4%	5	10.6%	47	100%	(0.143; 1.000)	
Total	236	78.1%	66	21.9%	302	100%		

The results of the analysis show that there is a significant relationship between education, knowledge, and COVID-19 prevention behavior. From the results of the analysis, 194 respondents had high knowledge and good behavior (76.1%) and 5 respondents had bad behavior with less education (10.6%). 214 respondents behaved well with higher education (80.5%), and 14 respondents behaved badly with low education (38.9%).

The Relationship between Education and COVID-19 Preventive Behavior

According to Green's theory, education is a predisposing factor that causes behavior occur. The high and low level of one's education is not a guarantee to behave as expected8. This research is not in line with research conducted by Wulandari, 2019 which states that there is no relationship between education and prevention of COVID-19 in South Kalimantan.10Community education in RW 01 can be seen directly that more people have a higher level of education, namely graduating from high school and not a few who have graduated from college, most of the neighborhoods where they live are workers.

Knowledge Level Relationship with COVID-19 Prevention Behavior

According to Green's theory which states that knowledge is a predisposing factor that causes a person's behavior to occur, someone who has good knowledge will do good behavior according to his knowledge8. This research is in line with research conducted by Syadidurahman et al, regarding the physical distance behavior of UIN SyarifHidayatullah Jakarta students during the COVID-19 pandemic, which states that there is a relationship between knowledge regarding physical distance COVID-19 prevention behavior (p = 0.007) 7.

Public knowledge at RW 01 MaukTimurKelurahanTangerangBanten regarding the behavior of preventing the transmission of COVID-19 is very good, the community has understood the health recommendations or protocols that must be carried out during the COVID-19 pandemic, this community knowledge is also based on community education, most of whom are in RW 01 MaukTimur Village, TangerangBanten, high education. However, there are still some people who do not implement COVID-19 prevention behavior, namely:

Not leaving the house but doing homecoming / returning home as a measure to prevent COVID-19 and there are still guests or distant relatives who come to visit from outside the region.

People who go to the market are still pressed for more regardless of their distance and not all of them wear masks.

Leave the house if there is an urgent need, but do not follow health protocols.

According to Zhou, 2020. If there is limited knowledge about the risks and prevention of COVID-19, it can cause anxiety and panic among the community and worsen by various rumors, it will cause anxiety, so it is necessary to foster confidence in the government's efforts to prevent and control the outbreak.9

IV. CONCLUSION

There is a relationship between education, knowledge, and behavior to prevent transmission of COVID-19 (p-value <0.005). The community always carries out preventive behaviors from spreading COVID-19, such as wearing masks when traveling outside the house and not ignoring health protocols.

REFERENCES

- 1. Ministry of Health of the Republic of Indonesia. Guidelines for the Prevention and Control of Coronavirus Disease (COVID-19). Jakarta. 2020
- Secretariat of the COVID-19 Riau Province Handling Task Force. Digital Book of RT/RW Heads and Posyandu Cadres in Riau Province Tanggap Covid-19. 2020.
- 3. Ministry of Health of the Republic of Indonesia. Guidelines for Community Empowerment in the Prevention of COVID-19 in RT/RW/Village.
- Tangerang Regency Government. 2020. COVID-19 Information & Coordination Center. http://covid19.tangerangkab.go.id/diaksespadatanggal 13 April 2020 pukur 19.48 WIB.
- 5. Ministry of Health of the Republic of Indonesia. Covid-19 Prevention Guidebook for Jateng. 2020

Turkish Journal of Physiotherapy and Rehabilitation; 32(3) ISSN 2651-4451 | e-ISSN 2651-446X

- Sulaeman and Supardi. Improving the Knowledge of Jelantik Village Community in Facing the Pandemic of Corona Virus Diseases 19 (Covid-19). West Nusa Tenggara. Journal of Undikma Devotion Vol 1. No. 1. ISSN: 2722-5097. 2020. 6.
- West Nusa Tenggara. Journal of Undikma Devotion Vol 1. No. 1. ISSN: 2722-5097. 2020.

 Syadiddurahmah, Fidah. 2020 Physical Distancing Behavior of UIN Syarif Hidayatullah Jakarta Students during the COVID-19 Pandemic. 7. Indonesian Journal of Health Promotion and Behavior Vol 2, No 1. E-ISSN: 2615-6911. 2020.
- Notoatmodjo S. 2012. Health Promotion and Health Behavior. Jakarta: PT Rineka Cipta. Indonesia.
- Dr. Niran J. (2021). Chest X-Ray, Cardiac Catheterization, and Pulse Oximetry Application in Medical Interventions. International Journal of Intensive Care, 17(1), 10-12.
- 10.
- Zhou Wang. 101 Science-Based Tips That Could Save Your Life. 2020. Wuhan Centrol for Disease Control and Prevention.

 Wulandari, Anggun. The Relationship of Individual Characteristics with Knowledge of Corona Virus Disease 2019 in the community in South Kalimantan. Indonesian Journal of Public Health. Volume 15. Number 1, May 2020.

	ya,_Mamui ALITY REPORT	n_Murod,_Fini,_	Noor_Latifah,	_Triana,_Dada	ng,
9% SIMILARITY INDEX		4% INTERNET SOURCES	6% PUBLICATIONS	1% STUDENT PAPEI	RS
PRIMAR	Y SOURCES				
1	Constrib	o Victoria, Misy utions in Trans OVID-19 Pande , 2021	portation Moi	nitoring	1 %
2	"Descript Personal prevent officers i	ari, Syafrawati, tive study of be Protective Equ Covid-19 for pri n Padang City", arth and Enviro	havior in using ipment (PPE) imary health of IOP Conferer	to care nce	1 %
3	www.md	•			1 %
4	Submitte Student Paper	ed to Universita	s Airlangga		1 %
5	idpjourna Internet Source	al.biomedcentr	al.com		1 %
6		ona, Nessi Mei nis. "Factors th	•	nis	1 %

Adolescent's Attitude to Plan A Family Life", Jurnal Ilmu dan Teknologi Kesehatan, 2020

Publication

happyworthylife.com 1% Internet Source Gerlandes Fernandes de Oliveira, Mariane 0% 8 Albuquerque Lima Ribeiro, Gabriela Vieira de Souza Castro, André Luiz Rodrigues Menezes et al. "Retrospective study of the epidemiological overview of the transmission of Chagas disease in the State of Acre, South-Western Amazonia, from 2009 to 2016", Journal of Human Growth and Development, 2018 Publication www.medrxiv.org 1% Internet Source pubmed.ncbi.nlm.nih.gov 10 Internet Source docplayer.net Internet Source

Exclude quotes Off
Exclude bibliography Off

Exclude matches

Off